# Lincat frifri



DF66 - Lincat Silverlink 600 Electric Counter-top Twin Tank Fryer - 2 Baskets - W 600 mm - 2 x 3.0 kW

- Two independently operated fryer tanks for greater versatility, delivering 24kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil

The Silverlink 600 Electric Twin Tank Counter Top Fryer has two independently operated fryer tanks for greater versatility, combined with a power that can deliver 24kg of chips per hour.

- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil
- Supplied with two cables and two plugs for easy installation

### **Specifications**

Summary		Power and Performance	
Brand	Lincat	Total Power kW	2 x 3.0
Range	Silverlink 600	Temperature Range °C	130-190
Power Type	Electric	IP Rating	IP33
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105100034		
Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	16kg chips - 12mm [frozen], 24kg chips -
Number of Tanks	2	riouder output per riour	12mm[chi
Gravity Filtration	No	Capacity Litres	2×9.0
Pumped Filtration	No		
Drain Location	Front-mounted		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	No
Unit Width (External) mm	600	Requires Electrical Supply	Yes
Unit Depth (External) mm	600	UK 3 Pin Plug	Yes
Net Weight Kg	22	Requires Hardwiring	No
		Electrical Supply Rating Watts	2 × 3,000
		Single Phase Amps	2 x 13.0
		Single Phase Voltage	230

#### Shipping

Packed Weight Kg	
Packed Height cm	
Packed Width cm	
Packed Depth cm	

25.6 49.5 70 70

# SILVERLINK 600


# lincat frifri


# SILVERLINK 600


### **Available Accessories**


BA96	BASKET SPUN DFSMALL	
CC6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm	
CN6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm	
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW	
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW	
SLS6	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm	

## **Technical Picture**













# Lincat fift

#### Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



## Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

#### **Export Customers**

Tel: +44 1522 503250 Email: export@lincat.co.uk

### **Opening Hours**

Monday – Friday: 8.30am – 5pm