

LINCAT OPUS ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 400 MM - 14.0 KW

MODEL: 0E8105



Fry delicious food accurately with this Opus 800 Twin-Tank Free Standing Electric Fryer which comes with two independent fryer tanks for greater versatility. Boasting a precise thermostatic control, the fryer is ideal for a variety of busy commercial kitchens, whether it's a large pub or a restaurant. The hinged, lift out element with safety interlock makes it easy to access and clean the tank.

Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- LK02 OPUS 350 LEG KIT
- OA8954 SPLASHGUARD FOR OPUS 800 ELECTRIC FRYERS

PRODUCT FEATURES

- Two independent fryer tanks for greater versatility
- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Hinged, lift out element, with safety interlock for easy tank access and cleaning







LINCAT OPUS ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 400 MM - 14.0 KW

MODEL: 0E8105

WEIGHTS & DIMENSIONS	
Width	400 mil
Depth	800 mil
Height	1020 mil
Weight	75 kg

SHIPPING DETAILS	
Ship Width	85 cm
Ship Depth	45 cm
Ship Height	122 cm
Ship Weight	82.5 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS	
Primary Energy Source Type	Electricity
Electrical Amps	L1=20.3; L2=20.3; L3=20.3
Electrical Voltage	400 volts
Electrical Watts	14000
Electrical Phase	Three
Kilowatts	14 kW

Number of Electrical Conductor Wires	1
	Direct Hardwired
Electrical Connection Type	Direct Hardwired
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Dedicated Circuit Required	Yes
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Auto Oil Top-Off	No
Basket Lift Type	Not Applicable
Control Type	Mechanical
Food Production Rate	40kg chips - 12mm [frozen], 56.2kg chips - 12mm [chilled] per hour
Fryer Type	Open Pot
Integrated Filtration	No
Number of Baskets	2
Number of Burners	Not Applicable

Number of Vats (batteries)	2
Total Oil Capacity (volume)	19 l
Oil Reclamation	No
Oil Temperature Control	Mechanical
Pumped Oil Filtration	No
Split Pot	Yes
Temperature Maximum	190 °C
Temperature Minimum	90 °C
Vat 1 Oil Capacity (volume)	9.5
Vat 2 Oil Capacity (volume)	9.5 l

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024







MODEL: 0E8105


BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

